L Number	Hits	Search Text	DB	Time stamp
-	2	20030079005.pn.	USPAT;	2004/08/28 11:38
			US-PGPUB; EPO; JPO; DERWENT;	
-	3158	709/223,209.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/27 23:49
-	4761	709/223,238,209.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/08/27 23:50
-	3012	709/223.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/27 23:49
_	151	709/209.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/08/27 23:49
-	1725	709/238.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/27 23:49
-	132	(efficient\$ or optimum or optimiz\$4) and (throughput and latency) and (WAN or "wide area network" or Internet) and rout\$ and 709/223,238,209.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/28 03:22
_	73		IBM_TDB USPAT; IBM_TDB	2004/08/28 03:26
_	5	709/223,238,209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/28 09:42
_	24	709/223,238,209.ccls.) ("peering points" or "BGP protocol") and (efficient\$ or optimum or optimiz\$4) and (throughput and latency)and (WAN or "wide	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/28 12:07
_	23	area network" or Internet) and rout\$ ("peering points" or "BGP protocol") and (efficient\$ or optimum or optimiz\$4) and performance and (throughput and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/28 11:23
-	8	latency) and (WAN or "wide area network" or Internet) and rout\$	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/28 09:56
-	4	latency) and (WAN or "wide area network" or Internet) and rout\$ and overlay (("5,999,525") or ("6,052,718")).PN.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/08/30 15:51
-	2	5,802,278.pn.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/28 12:01

-	3	6,614,765.pn.	USPAT; US-PGPUB; EPO; JPO;	2004/08/28 12:01
			DERWENT; IBM_TDB	
-	597	efficient\$ and (WAN or "wide area network") and rout\$ and 709/223,238,209.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/08/28 12:06
_	326	efficient\$ and (WAN or "wide area	DERWENT; IBM_TDB USPAT	2004/08/28 12:06
-	1192	network") and rout\$ and 709/223,238,209.ccls. (efficient\$ or optimum or optimiz\$4) and	USPAT	2004/08/28 12:08
_	1056	(throughput and latency) and (WAN or "wide area network" or Internet) and rout\$ performance and ((efficient\$ or optimum or	USPAT	2004/08/28 12:13
		optimiz\$4) and (throughput and latency) and (WAN or "wide area network" or Internet) and rout\$)		
_	301	performance and ((efficient\$ or optimum or optimiz\$4) and (throughput and latency) and (WAN or "wide area network" or Internet)	USPAT	2004/08/28 12:11
_	42	and rout\$) and 709/\$.ccls. "second processor" and performance and ((efficient\$ or optimum or optimiz\$4) and (throughput and latency)and (WAN or "wide	USPAT	2004/08/28 12:14
_	887	<pre>area network" or Internet) and rout\$) processor and performance and ((efficient\$ or optimum or optimiz\$4) and (throughput and latency)and (WAN or "wide area</pre>	USPAT	2004/08/28 12:15
	447	network" or Internet) and rout\$) statistic\$3 and (processor and performance and ((efficient\$ or optimum or optimiz\$4) and (throughput and latency)and (WAN or "wide area network" or Internet) and rout\$	USPAT	2004/08/28 20:21
-	19	"wide area network of internet, and rodty")) statistic\$3 and performance and (efficient\$ or optimum or optimiz\$4) and (throughput and latency)and (WAN or "wide area network" or Internet) and (rout\$ adj	USPAT	2004/08/28 22:42
_	40	processor) scalabl\$ and ("content distribution" or cach\$) and throughput and latency and	USPAT	2004/08/28 20:59
-	42	performance and (rout\$ adj processor) scalabl\$ and ("content distribution" or cach\$) and throughput and latency and performance and (rout\$ adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/28 22:04
-	2571	(efficient\$ or optimum or optimiz\$4) and (throughput and latency)and (WAN or "wide area network" or Internet) and rout\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/28 22:32
-	18	" two routes" and ((efficient\$ or optimum or optimiz\$4) and (throughput and latency)and (WAN or "wide area network" or Internet) and rout\$)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/28 22:40
-	52	(two or other) near2 routes and characteristic and ((efficient\$ or optimum	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/28 22:29
		or optimiz\$4) and (throughput and latency) and (WAN or "wide area network" or Internet) and rout\$)	DÉRWENT; IBM_TDB USPAT;	2004/08/28 22:29
_	202	((two or other) near2 rout\$) and characteristic and ((efficient\$ or optimum or optimiz\$4) and (throughput and latency) and (WAN or "wide area network" or	US-PGPUB; EPO; JPO; DERWENT;	2004/00/20 22:29
	Í	Internet) and rout\$)	IBM TDB	_l _,

-	74	((two or other) near2 rout\$) and	USPAT	2004/08/28 22:34
		characteristic and ((efficient\$ or optimum		
		or optimiz\$4) and (throughput and		
		latency)and (WAN or "wide area network" or		
1		Internet) and rout\$)		
-	1192	(efficient\$ or optimum or optimiz\$4) and	USPAT	2004/08/28 22:33
		(throughput and latency)and (WAN or "wide		
		area network" or Internet) and rout\$		
_	854	characteristic and ((efficient\$ or optimum	USPAT	2004/08/28 22:34
		or optimiz\$4) and (throughput and		
		latency) and (WAN or "wide area network" or		
ļ		<pre>Internet) and rout\$)</pre>		
-	18	(throughput near variation) and measure	USPAT	2004/08/30 15:34
		and performance and network		
_	50	(latency near variation) and measure and	USPAT	2004/08/30 15:35
		performance and network		